ELSEVIER

Journal of Molecular Liquids 72 (1997) v–vi

journal of MOLECULAR LIQUIDS

Special Issue

ORGANISED ASSEMBLIES OF SURFACTANTS IN SOLUTION

Preface 1

Organized assemblies of surfactants in solution, and the dynamics of w/o microemulsions
Z.A. Schelly (Arlington, TX, USA) 3

Sponge phases and balanced microemulsions: What determines their stability?
H. Wennerström (Lund, Sweden), J. Daicic (Schlieren, Zürich, Switzerland), U. Olsson (Lund, Sweden), G. Jerke and P. Schurtenberger (Zürich, Switzerland) 15

Vapor pressure of phenethyl acetate in the system with water, and polyoxyethylene, 4, lauryl ether
S.E. Friberg, L. Fie (Potsdam, NY, USA) and P.A. Aikens (Wilmington, DE, USA) 31

Kinetics of solute partitioning at surfactant monolayers in water-in-oil microemulsions
P. Alexandridis (Cambridge, MA, USA), J.F. Holzwarth (Berlin, Germany) and T.A. Hatton (Cambridge, MA, USA) 55

Aggregation number of ionic micelles from SANS. Problems and limits
Sz. Vass (Budapest, Hungary), J. Pleštil (Prague, Czech Republic), S. Borbély, T. Gilányi (Budapest, Hungary) and H. Pospíšil (Prague, Czech Republic) 69

Use of NMR to probe the structure of water at interfaces of organized assemblies
O.A. El Seoud (São Paulo, Brazil) 85

Polarity profiles in reverse micelles of Triton X-100, as studied by spin probe and absorption probe techniques
A. Caragheorgheopol, R. Bandula, H. Caldararu (Bucharest, Romania) and H. Joela (Jyvaskyla, Finland) 105

A spontaneous phase transition from reverse micelles to organogels due to surfactant interactions with specific benzenediols
M. Tata, V.T. John, Y.Y. Waguespack (New Orleans, LA, USA) and G.L. McPherson (Princess Anne, MD, USA) 121

Flocculation of sodium bis(2-ethylhexyl) sulfosuccinate reversed micelles in isooctane
A. Goto, Y. Kuwahara, A. Suzuki, H. Yoshioka, R. Goto (Shizuoka, Japan), T. Iwamoto and T. Imae (Nagoya, Japan) 137

Surface chemical and micellization behaviours of binary and ternary mixtures of amphiphiles (Triton X-100, Tween-80 and CTAB) in aqueous medium
S.P. Moulik and S. Ghosh (Calcutta, India) 145

Binding of nitroanilines to reverse micelles of AOT n-hexane
N.M. Correa and J.J. Silber (Río Cuarto, Argentina) 163

Semifluorinated alkanes as primitive surfactants in apolar hydrocarbon and fluorocarbon solvents
B.P. Binks, P.D.I. Fletcher, W.F.C. Sager and R.L. Thompson (Hull, UK) 177

Unusual phenomena in perfluorosurfactants
H. Hoffmann and J. Würtz (Bayreuth, Germany) 191

Reactivity in aqueous association colloids. Descriptive utility of the pseudophase model
C.A. Bunton (Santa Barbara, CA, USA) 231

Syntheses of copper nanoparticles in gelified microemulsion and in reverse micelles
I. Lisiecki (Paris, France; Shizuoka, Japan), F. Billoudet (Paris, France) and M.P. Pileni (Paris, France; Shizuoka, Japan) 251
Modifications of emulsions for determination of the rates of lipase-catalysed hydrolysis and intramolecular acyl transfer reactions of lipids
C.J. O'Connor and R.H. Barton (Auckland, New Zealand) 263
Micellar and microemulsion systems to perform heterogeneous reactions, biphasic extraction and solute transport
C. Tondre and M. Hebrant (Auckland, New Zealand) 279
Dynamics of structure changes in water-in-oil microemulsions: Electric birefringence and electric light scattering in percolating systems
L. Schlicht, J.-H. Spilgies and G. Ilgenfritz (Köln, Germany) 295
Electric birefringence of surfactant vesicles
N. Asgharian, X. Wu, R.L. Meline, B. Derecskei, H. Cheng and Z.A. Schelly (Artlington, TX, USA) 315
Characterization of dioctadecyldimethylammonium chloride vesicles prepared by membrane extrusion and dichloromethane injection
I.M. Cuccovia, A. Sesso, E.B. Abuin, P.F. Okino, P.G. Tavares, J.F.S. Campos, F.H. Florenzano and H. Chaimovich (Santiago, Chile) 323
Continuous shape transformations of liquid crystal membrane vesicles
J. Verhás (Budapest, Hungary) 337
Structural and dynamic properties in the complex fluids of colloidal crystals, liquids and gases
T. Okubo and K. Kiriyama (Kyoto, Japan) 347